

ポリエステルメッシュ規格表

メッシュ数	線径	オープニング	オープニングエリア	紗厚	透過体積
[本/インチ]	[μ m]	[μ m]	[%]	[μ m]	[cm ³ /m ²]
60	150	273	42	260	108
60	125	298	50	230	114
70	125	238	43	240	103
70	71	292	65	125	81
80	100	218	47	170	80
80	71	247	60	125	75
90	80	202	51	137	70
90	71	211	56	125	70
100	80	174	47	134	63
100	71	183	52	122	63
100	55	199	61	95	58
110	80	151	43	132	56
120	63	149	49	105	52
120	55	157	55	95	52
120	48	164	60	80	48
120	45	167	62	73	45
125	71	132	42	116	49
135	55	133	50	95	48
135	48	140	55	79	44
135	45	143	58	73	42
140	63	118	43	105	45
150	63	106	39	105	41
150	55	114	46	88	40
150	48	121	51	76	39
150	45	124	54	72	39
160	63	96	36	105	38
160	48	111	49	80	39
180	55	86	37	88	33
180	48	93	44	76	33
180	45	96	46	70	32
200	55	72	32	88	28
200	48	79	39	75	29
200	45	82	42	68	28
225	55	58	26	91	24
225	48	65	33	75	25
230	45	65	35	68	24
230	40	70	41	60	24
255	40	60	36	60	21
255	35	65	42	53	22
270	40	54	33	60	20
280	35	56	38	53	20
300	40	45	28	62	17
305	35	48	34	53	18
305	33	50	36	50	18
330	35	42	30	53	16
355	35	37	26	61	16
355	35	37	26	53	14
380	35	32	23	64	15
380	33	34	26	48	12
420	33	27	21	60	12